

WFLO-207-I

Closed System Treatment

Description

APPLICATION: CHEMFLO-207-I is a borate/nitrite formulation for use in closed recirculating hot and chilled water systems. CHEMFLO-207-I is non-abrasive to pump seals and packing and can be used in systems containing ethylene or propylene glycol.

BENEFITS:

PROVIDES A PROTECTIVE FILM ON METAL SURFACES.
INDICATED FOR USE IN SYSTEMS CONTAINING GLYCOL.
PRODUCT IS EASILY MONITORED WITH A QUICK TEST.

PHYSICAL PROPERTIES:

Physical State : Greenish Yellow
Density : 1.1.
pH of 1% solution : 9.0 - 10.0
Solubility : Complete in water

FEEDING: CHEMFLO-207-I should be shot fed to the system as needed to maintain treatment residuals.

DOSAGES: Initial dosage is 5 Kg per m³ of system capacity.

TESTING & CONTROL: Treatment levels are monitored with Nitrite Test Kit. Maintain 600 - 800 ppm for maximum results.

HANDLING & STORAGE: Read label completely before use. See label for first aid instructions. Keep containers closed when not in use. Store containers in an area free of temperature extremes.

PACKAGING: Available in 20,35 and 50 Kg of plastic containers.